



# 30° VERTICAL OUTSIDE ELBOW





To complete catalogue number insert the appropriate prefixes (2) in place of asterisks.

|                   |                        |          |   |   |   |  |   |
|-------------------|------------------------|----------|---|---|---|--|---|
| <b>3</b>          | <b>0</b>               | <b>A</b> | — | <b>*</b>  | <b>3</b>  | <b>5</b>   | <b>**</b>                                 |
| <b>BASIC PART</b> | <b>MATERIAL FINISH</b> |          |   | <b>SIDERAIL HEIGHT</b>  | <b>RADIUS</b>   | <b>WIDTH</b>   | <b>RUNG SPACING</b>                       |
| 30 - 30° Outside  | A - Aluminum           |          |   | 1 - C / 90mm (3.5")<br>2 - C / 152mm (6.0")<br>4 - D / 114mm (4.5")<br>5 - D / 152mm (6.0")<br>7 - E / 114mm (4.5")<br>8 - E / 152mm (6.0")<br>H - E / 160mm (6.3")<br>9 - E / 203mm (8.0") | 3 - 305mm (12")<br>6 - 610mm (24")<br>9 - 915mm (36")<br>* - 1220mm (48") | 2 - 150mm (6")†<br>3 - 203mm (8")<br>5 - 300mm (12")<br>6 - 450mm (18")<br>7 - 600mm (24")<br>8 - 750mm (30")<br>9 - 900mm (36") | 1 - Solid<br>2 - Ventilated<br>4 - Ladder |

† - Not available in 9 series.

| BEND RADIUS |       | TRAY WIDTH    |      | CATALOGUE #   | DIMENSIONS mm (in)                   |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|-------------|-------|---------------|------|---------------|--------------------------------------|------------------|--------|--------|-------|--------|----------------|-------|--------|----------------|-------|--------|----------------|-------|--------|----------------|--|
| R           |       | W             |      |               | * SIDERAIL HEIGHT<br>** RUNG SPACING | SIDERAIL HEIGHTS |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
| mm          | (in)  | mm            | (in) |               |                                      | 90mm / (3.54")   |        |        |       |        | 114mm / (4.5") |       |        | 152mm / (6.0") |       |        | 160mm / (6.1") |       |        | 203mm / (8.0") |  |
|             |       |               |      | A             |                                      | B                | C      | A      | B     | C      | A              | B     | C      | A              | B     | C      | A              | B     | C      |                |  |
| 305mm       | (12") | 150           | (6)  | 30A-(*)32(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 203           | (8)  | 30A-(*)33(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 300           | (12) | 30A-(*)35(**) | 174                                  | 47               | 94     | 181    | 48    | 97     | 191            | 51    | 102    | 192            | 52    | 103    | 203            | 54    | 109    |                |  |
|             |       | 450           | (18) | 30A-(*)36(**) | (6.9)                                | (1.9)            | (3.7)  | (7.1)  | (1.9) | (3.8)  | (7.5)          | (2.0) | (4.0)  | (7.6)          | (2.0) | (4.1)  | (8.0)          | (2.1) | (4.3)  |                |  |
|             |       | 600           | (24) | 30A-(*)37(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 750           | (30) | 30A-(*)38(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
| 610mm       | (24") | 150           | (6)  | 30A-(*)62(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 203           | (8)  | 30A-(*)63(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 300           | (12) | 30A-(*)65(**) | 328                                  | 88               | 176    | 334    | 89    | 179    | 343            | 92    | 184    | 345            | 92    | 185    | 356            | 95    | 191    |                |  |
|             |       | 450           | (18) | 30A-(*)66(**) | (12.9)                               | (3.5)            | (6.9)  | (13.1) | (3.5) | (7.0)  | (13.5)         | (3.6) | (7.2)  | (13.6)         | (3.6) | (7.3)  | (14.0)         | (3.7) | (7.5)  |                |  |
|             |       | 600           | (24) | 30A-(*)67(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 750           | (30) | 30A-(*)68(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
| 915mm       | (36") | 150           | (6)  | 30A-(*)92(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 203           | (8)  | 30A-(*)93(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 300           | (12) | 30A-(*)95(**) | 480                                  | 129              | 257    | 486    | 130   | 260    | 496            | 133   | 266    | 497            | 133   | 267    | 508            | 136   | 272    |                |  |
|             |       | 450           | (18) | 30A-(*)96(**) | (18.9)                               | (5.1)            | (10.1) | (19.1) | (5.1) | (10.2) | (19.5)         | (5.2) | (10.5) | (19.6)         | (5.2) | (10.5) | (20.0)         | (5.4) | (10.7) |                |  |
|             |       | 600           | (24) | 30A-(*)97(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 750           | (30) | 30A-(*)98(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
| 1220mm      | (48") | 150           | (6)  | 30A-(*)*2(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 203           | (8)  | 30A-(*)*3(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 300           | (12) | 30A-(*)*5(**) | 632                                  | 169              | 339    | 638    | 171   | 343    | 648            | 174   | 347    | 650            | 174   | 348    | 661            | 177   | 354    |                |  |
|             |       | 450           | (18) | 30A-(*)*6(**) | (24.9)                               | (6.7)            | (13.3) | (25.1) | (6.7) | (13.5) | (25.5)         | (6.9) | (13.7) | (25.6)         | (6.9) | (13.7) | (26.0)         | (7.0) | (13.9) |                |  |
|             |       | 600           | (24) | 30A-(*)*7(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
|             |       | 750           | (30) | 30A-(*)*8(**) |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |
| 900         | (36)  | 30A-(*)*9(**) |      |               |                                      |                  |        |        |       |        |                |       |        |                |       |        |                |       |        |                |  |

# 45° VERTICAL OUTSIDE ELBOW





To complete catalogue number insert the appropriate prefixes (2) in place of asterisks.

|                   |                        |   |   |  |   |           |
|-------------------|------------------------|---|---|--|---|-----------|
| <b>4</b>          | <b>0</b>               | <b>A</b>  | <b>*</b>  | <b>6</b>   | <b>9</b>                                  | <b>**</b> |
| <b>BASIC PART</b> | <b>MATERIAL FINISH</b> | <b>SIDERAIL HEIGHT</b>  | <b>RADIUS</b>   | <b>WIDTH</b>   | <b>RUNG SPACING</b>                       |           |
| 40 - 45° Outside  | A - Aluminum           | 1 - C / 90mm (3.5")<br>2 - C / 152mm (6.0")<br>4 - D / 114mm (4.5")<br>5 - D / 152mm (6.0")<br>7 - E / 114mm (4.5")<br>8 - E / 152mm (6.0")<br>H - E / 160mm (6.3")<br>9 - E / 203mm (8.0") | 3 - 305mm (12")<br>6 - 610mm (24")<br>9 - 915mm (36")<br>* - 1220mm (48") | 2 - 150mm (6")†<br>3 - 203mm (8")<br>5 - 300mm (12")<br>6 - 450mm (18")<br>7 - 600mm (24")<br>8 - 750mm (30")<br>9 - 900mm (36") | 1 - Solid<br>2 - Ventilated<br>4 - Ladder |           |

† - Not available in 9 series.

| BEND RADIUS |       | TRAY WIDTH |      | CATALOGUE #<br><br>* SIDERAIL HEIGHT<br>** RUNG SPACING | DIMENSIONS mm (in) |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|-------------|-------|------------|------|---|--------------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|
| R           |       | W          |      |   | SIDERAIL HEIGHTS   |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
| mm          | (in)  | mm         | (in) |   | 90mm / (3.54")     |        |        | 114mm / (4.5") |        |        | 152mm / (6.0") |        |        | 160mm / (6.1") |        |        | 203mm / (8.0") |        |        |
|             |       |            |      | A   | B                  | C      | A      | B              | C      | A      | B              | C      | A      | B              | C      | A      | B              | C      |        |
| 305mm       | (12") | 150        | (6)  | 40A-(*)32(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 203        | (8)  | 40A-(*)33(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 300        | (12) | 40A-(*)35(**)   | 247                | 103    | 14     | 256            | 106    | 150    | 269            | 112    | 158    | 272            | 113    | 159    | 287            | 119    | 168    |
|             |       | 450        | (18) | 40A-(*)36(**)   | (9.7)              | (4.1)  | (0.6)  | (10.1)         | (4.2)  | (5.9)  | (10.6)         | (4.4)  | (6.2)  | (10.7)         | (4.4)  | (6.3)  | (11.3)         | (4.7)  | (6.6)  |
|             |       | 600        | (24) | 40A-(*)37(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 750        | (30) | 40A-(*)38(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
| 610mm       | (24") | 150        | (6)  | 40A-(*)62(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 203        | (8)  | 40A-(*)63(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 300        | (12) | 40A-(*)65(**)   | 463                | 192    | 271    | 472            | 195    | 276    | 485            | 201    | 284    | 488            | 202    | 286    | 503            | 208    | 295    |
|             |       | 450        | (18) | 40A-(*)66(**)   | (18.2)             | (7.6)  | (10.7) | (18.6)         | (7.7)  | (10.9) | (19.1)         | (7.9)  | (11.2) | (19.2)         | (8.0)  | (11.3) | (19.8)         | (8.2)  | (11.6) |
|             |       | 600        | (24) | 40A-(*)67(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 750        | (30) | 40A-(*)68(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
| 915mm       | (36") | 150        | (6)  | 40A-(*)92(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 203        | (8)  | 40A-(*)93(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 300        | (12) | 40A-(*)95(**)   | 679                | 281    | 398    | 387            | 285    | 403    | 701            | 290    | 410    | 703            | 291    | 412    | 719            | 298    | 421    |
|             |       | 450        | (18) | 40A-(*)96(**)   | (26.7)             | (11.1) | (15.7) | (15.2)         | (11.2) | (15.9) | (27.6)         | (11.4) | (16.1) | (27.7)         | (11.5) | (16.2) | (28.3)         | (11.7) | (16.6) |
|             |       | 600        | (24) | 40A-(*)97(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 750        | (30) | 40A-(*)98(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
| 1220mm      | (48") | 150        | (6)  | 40A-(*)*2(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 203        | (8)  | 40A-(*)*3(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 300        | (12) | 40A-(*)*5(**)   | 894                | 370    | 524    | 903            | 374    | 530    | 916            | 380    | 537    | 919            | 381    | 538    | 934            | 387    | 547    |
|             |       | 450        | (18) | 40A-(*)*6(**)   | (35.2)             | (14.6) | (20.6) | (35.6)         | (14.7) | (20.9) | (36.1)         | (15.0) | (21.1) | (36.2)         | (15.0) | (21.2) | (36.8)         | (15.2) | (21.5) |
|             |       | 600        | (24) | 40A-(*)*7(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |
|             |       | 750        | (30) | 40A-(*)*8(**)   |                    |        |        |                |        |        |                |        |        |                |        |        |                |        |        |

# 60° VERTICAL OUTSIDE ELBOW





To complete catalogue number insert the appropriate prefixes (2) in place of asterisks.

|                   |                        |   |   |  |   |           |
|-------------------|------------------------|---|---|--|---|-----------|
| <b>6</b>          | <b>0</b>               | <b>A</b>  | <b>*</b>  | <b>6</b>   | <b>3</b>                                  | <b>**</b> |
| <b>BASIC PART</b> | <b>MATERIAL FINISH</b> | <b>SIDERAIL HEIGHT</b>  | <b>RADIUS</b>   | <b>WIDTH</b>   | <b>RUNG SPACING</b>                       |           |
| 60 - 60° Outside  | A - Aluminum           | 1 - C / 90mm (3.5")<br>2 - C / 152mm (6.0")<br>4 - D / 114mm (4.5")<br>5 - D / 152mm (6.0")<br>7 - E / 114mm (4.5")<br>8 - E / 152mm (6.0")<br>H - E / 160mm (6.3")<br>9 - E / 203mm (8.0") | 3 - 305mm (12")<br>6 - 610mm (24")<br>9 - 915mm (36")<br>* - 1220mm (48") | 2 - 150mm (6")†<br>3 - 203mm (8")<br>5 - 300mm (12")<br>6 - 450mm (18")<br>7 - 600mm (24")<br>8 - 750mm (30")<br>9 - 900mm (36") | 1 - Solid<br>2 - Ventilated<br>4 - Ladder |           |

† - Not available in 9 series.

| BEND RADIUS |       | TRAY WIDTH    |      | CATALOGUE #   | DIMENSIONS mm (in)                   |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|-------------|-------|---------------|------|---------------|--------------------------------------|------------------|--------|--------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--|
| R           |       | W             |      |               | * SIDERAIL HEIGHT<br>** RUNG SPACING | SIDERAIL HEIGHTS |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| mm          | (in)  | mm            | (in) |               |                                      | 90mm / (3.54")   |        |        |        |        | 114mm / (4.5") |        |        | 152mm / (6.0") |        |        | 160mm / (6.1") |        |        | 203mm / (8.0") |  |
|             |       |               |      | A             |                                      | B                | C      | A      | B      | C      | A              | B      | C      | A              | B      | C      | A              | B      | C      |                |  |
| 305mm       | (12") | 150           | (6)  | 60A-(*)32(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203           | (8)  | 60A-(*)33(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300           | (12) | 60A-(*)35(**) | 303                                  | 175              | 202    | 314    | 181    | 209    | 330            | 191    | 220    | 333            | 192    | 222    | 352            | 203    | 235    |                |  |
|             |       | 450           | (18) | 60A-(*)36(**) | (11.9)                               | (6.9)            | (8.0)  | (12.4) | (7.1)  | (8.2)  | (13.0)         | (7.5)  | (8.7)  | (13.1)         | (7.6)  | (8.7)  | (13.9)         | (8.0)  | (9.3)  |                |  |
|             |       | 600           | (24) | 60A-(*)37(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750           | (30) | 60A-(*)38(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| 610mm       | (24") | 150           | (6)  | 60A-(*)62(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203           | (8)  | 60A-(*)63(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300           | (12) | 60A-(*)65(**) | 567                                  | 528              | 378    | 578    | 334    | 385    | 594            | 343    | 396    | 597            | 345    | 398    | 616            | 356    | 411    |                |  |
|             |       | 450           | (18) | 60A-(*)66(**) | (22.3)                               | (20.8)           | (14.9) | (22.8) | (13.1) | (15.2) | (23.4)         | (13.5) | (15.6) | (23.5)         | (13.6) | (15.7) | (24.3)         | (14.0) | (16.2) |                |  |
|             |       | 600           | (24) | 60A-(*)67(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750           | (30) | 60A-(*)68(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| 915mm       | (36") | 150           | (6)  | 60A-(*)92(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203           | (8)  | 60A-(*)93(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300           | (12) | 60A-(*)95(**) | 831                                  | 480              | 554    | 842    | 486    | 561    | 858            | 496    | 572    | 862            | 497    | 574    | 880            | 508    | 587    |                |  |
|             |       | 450           | (18) | 60A-(*)96(**) | (32.7)                               | (18.9)           | (21.8) | (33.1) | (19.1) | (22.1) | (33.8)         | (19.5) | (22.5) | (33.9)         | (19.6) | (22.6) | (34.6)         | (20.0) | (23.1) |                |  |
|             |       | 600           | (24) | 60A-(*)97(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750           | (30) | 60A-(*)98(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| 1220mm      | (48") | 150           | (6)  | 60A-(*)*2(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203           | (8)  | 60A-(*)*3(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300           | (12) | 60A-(*)*5(**) | 1095                                 | 632              | 730    | 1073   | 638    | 737    | 1122           | 648    | 748    | 1126           | 650    | 750    | 1144           | 661    | 763    |                |  |
|             |       | 450           | (18) | 60A-(*)*6(**) | (43.1)                               | (24.9)           | (28.7) | (42.2) | (25.1) | (29.0) | (44.2)         | (25.5) | (29.4) | (44.3)         | (25.6) | (29.5) | (45.0)         | (26.0) | (30.0) |                |  |
|             |       | 600           | (24) | 60A-(*)*7(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750           | (30) | 60A-(*)*8(**) |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| 900         | (36)  | 60A-(*)*9(**) |      |               |                                      |                  |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |

# 90° VERTICAL OUTSIDE ELBOW



To complete catalogue number insert the appropriate prefixes (2) in place of asterisks.

|                   |                        |          |   |   |   |  |   |
|-------------------|------------------------|----------|---|---|---|--|---|
| <b>9</b>          | <b>0</b>               | <b>A</b> | — | <b>*</b>  | <b>6</b>  | <b>5</b>   | <b>**</b>                                 |
| <b>BASIC PART</b> | <b>MATERIAL FINISH</b> |          |   | <b>SIDERRAIL HEIGHT</b>   | <b>RADIUS</b>   | <b>WIDTH</b>   | <b>RUNG SPACING</b>                       |
| 90 - 90° Outside  | A - Aluminum           |          |   | 1 - C / 90mm (3.5")<br>2 - C / 152mm (6.0")<br>4 - D / 114mm (4.5")<br>5 - D / 152mm (6.0")<br>7 - E / 114mm (4.5")<br>8 - E / 152mm (6.0")<br>H - E / 160mm (6.3")<br>9 - E / 203mm (8.0") | 3 - 305mm (12")<br>6 - 610mm (24")<br>9 - 915mm (36")<br>* - 1220mm (48") | 2 - 150mm (6")†<br>3 - 203mm (8")<br>5 - 300mm (12")<br>6 - 450mm (18")<br>7 - 600mm (24")<br>8 - 750mm (30")<br>9 - 900mm (36") | 1 - Solid<br>2 - Ventilated<br>4 - Ladder |

† - Not available in 9 series.

| BEND RADIUS |       | TRAY WIDTH |      | CATALOGUE #   | DIMENSIONS mm (in)                    |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|-------------|-------|------------|------|---------------|---------------------------------------|-------------------|--------|--------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--------|--------|----------------|--|
| R           |       | W          |      |               | * SIDERRAIL HEIGHT<br>** RUNG SPACING | SIDERRAIL HEIGHTS |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| mm          | (in)  | mm         | (in) |               |                                       | 90mm / (3.54")    |        |        |        |        | 114mm / (4.5") |        |        | 152mm / (6.0") |        |        | 160mm / (6.1") |        |        | 203mm / (8.0") |  |
|             |       |            |      | A             |                                       | B                 | C      | A      | B      | C      | A              | B      | C      | A              | B      | C      | A              | B      | C      |                |  |
| 305mm       | (12") | 150        | (6)  | 90A-(*)32(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203        | (8)  | 90A-(*)33(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300        | (12) | 90A-(*)35(**) | 350                                   | 350               | 350    | 362    | 362    | 362    | 381            | 381    | 381    | 385            | 385    | 385    | 407            | 407    | 407    |                |  |
|             |       | 450        | (18) | 90A-(*)36(**) | (13.8)                                | (13.8)            | (13.8) | (14.3) | (14.3) | (14.3) | (15.0)         | (15.0) | (15.0) | (15.2)         | (15.2) | (15.2) | (16.0)         | (16.0) | (16.0) |                |  |
|             |       | 600        | (24) | 90A-(*)37(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750        | (30) | 90A-(*)38(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 900        | (36) | 90A-(*)39(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| 610mm       | (24") | 150        | (6)  | 90A-(*)62(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203        | (8)  | 90A-(*)63(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300        | (12) | 90A-(*)65(**) | 655                                   | 655               | 655    | 667    | 667    | 667    | 686            | 686    | 686    | 690            | 690    | 690    | 711            | 711    | 711    |                |  |
|             |       | 450        | (18) | 90A-(*)66(**) | (25.8)                                | (25.8)            | (25.8) | (26.3) | (26.3) | (26.3) | (27.0)         | (27.0) | (27.0) | (27.2)         | (27.2) | (27.2) | (28.0)         | (28.0) | (28.0) |                |  |
|             |       | 600        | (24) | 90A-(*)67(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750        | (30) | 90A-(*)68(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 900        | (36) | 90A-(*)69(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| 915mm       | (36") | 150        | (6)  | 90A-(*)92(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203        | (8)  | 90A-(*)93(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300        | (12) | 90A-(*)95(**) | 960                                   | 960               | 960    | 972    | 972    | 972    | 991            | 991    | 991    | 995            | 995    | 995    | 1017           | 1017   | 1017   |                |  |
|             |       | 450        | (18) | 90A-(*)96(**) | (37.8)                                | (37.8)            | (37.8) | (38.3) | (38.3) | (38.3) | (39.0)         | (39.0) | (39.0) | (39.2)         | (39.2) | (39.2) | (40.0)         | (40.0) | (40.0) |                |  |
|             |       | 600        | (24) | 90A-(*)97(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750        | (30) | 90A-(*)98(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 900        | (36) | 90A-(*)99(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
| 1220mm      | (48") | 150        | (6)  | 90A-(*)*2(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 203        | (8)  | 90A-(*)*3(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 300        | (12) | 90A-(*)*5(**) | 1265                                  | 1265              | 1265   | 1277   | 1277   | 1277   | 1296           | 1296   | 1296   | 1300           | 1300   | 1300   | 1322           | 1322   | 1322   |                |  |
|             |       | 450        | (18) | 90A-(*)*6(**) | (49.8)                                | (49.8)            | (49.8) | (50.3) | (50.3) | (50.3) | (51.0)         | (51.0) | (51.0) | (51.2)         | (51.2) | (51.2) | (52.0)         | (52.0) | (52.0) |                |  |
|             |       | 600        | (24) | 90A-(*)*7(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |
|             |       | 750        | (30) | 90A-(*)*8(**) |                                       |                   |        |        |        |        |                |        |        |                |        |        |                |        |        |                |  |